

**MHS PHARMACY BENEFIT
MISCELLANEOUS CARDIAC AGENTS PRIOR AUTHORIZATION REQUEST FORM**

MHS
429 N. Pennsylvania St. Suite 109
Indianapolis, IN, 46204-1208
Phone: (877) 647-4848 Fax: (866) 399-0929



Today's Date
 / /

Note: This form must be completed by the prescribing provider.

****All sections must be completed or the request will be returned****

Patient's Medicaid #	<input type="text"/>	Date of Birth	<input type="text"/> / <input type="text"/> / <input type="text"/>
Patient's Name	Prescriber's Name		
Prescriber's IN License #	<input type="text"/>	Specialty	
Prescriber's NPI #	<input type="text"/>	Prescriber's Signature	
Return Fax #	<input type="text"/> - <input type="text"/> - <input type="text"/>	Return Phone #	<input type="text"/> - <input type="text"/> - <input type="text"/>
Check box if requesting retro-active PA	<input type="checkbox"/>	Date(s) of service requested for retro-active eligibility (if applicable):	

Note: Submit PA requests for retroactive claims (dates of service prior to eligibility determination, but within established eligibility timelines) with dates of service prior to 30 calendar days of submission separately from current PA requests (dates of service 30 calendar days or less and going forward).

Requested Medication	Strength	Dosage Regimen

PA Requirements for Camzyos (mavacamten):

1. Diagnosis of symptomatic obstructive hypertrophic cardiomyopathy (Provide documentation) Yes No
2. Left ventricular ejection fraction is greater than or equal to 55% (Provide documentation) Yes No
3. Left ventricular outflow tract (LVOT) gradient of 50 mm Hg or greater (Provide documentation) Yes No
4. Member is 18 years of age or older Yes No
5. Member is enrolled in Camzyos/mavacamten REMS program Yes No
6. Member has tried and failed 90 days or greater of beta-adrenergic blocker or non-dihydropyridine calcium channel blocker therapy Yes No

OR

Please provide medical rationale for the use of Camzyos (mavacamten) over beta-adrenergic blocker and non-dihydropyridine calcium channel blocker therapy

7. Requested dose exceeds 15 mg/day Yes No

Note the following QL per strength: 2.5 mg, 5 mg, 10 mg, 15 mg capsule – max 1 capsule/day

PA Requirements for Corlanor (ivabradine) Tablet or Corlanor (ivabradine) Solution for Adults:

1. Select one of the following:
 - Diagnosis of heart failure (Provide documentation)
 - Left ventricular ejection fraction is less than or equal to 35% (Provide documentation) Yes No
 - Resting heart rate is greater than or equal to 70 beats per minute (Provide documentation) Yes No
 - Diagnosis of inappropriate sinus tachycardia

2. Select one of the following:
 - Member is currently maximized on beta-blocker dose
 Drug/dose/date(s): _____
 - Member has contraindication to beta-blocker use
 Please explain: _____

3. Select one of the following:
 - Tablet -- Requested dose does not exceed 15 mg/day Yes No
Note the following QL per strength: 5 mg, 7.5 mg, tablet – max 2 tablets/day
 - Solution -- Requested dose does not exceed 15 mL/day Yes No
 - Member is unable to swallow tablet formulation (Provide documentation) Yes No
Note only approvable for a member who is 18 years of age or older and cannot swallow tablets

4. Member is 18 years of age or older Yes No

PA Requirements for Corlanor (ivabradine) Tablet or Corlanor (ivabradine) Solution for Pediatrics:

1. Diagnosis of stable symptomatic heart failure due to dilated cardiomyopathy (Provide documentation) Yes No
2. Left ventricular ejection fraction is less than or equal to 45% (Provide documentation) Yes No
3. Member is in sinus rhythm (Provide documentation) Yes No
4. Resting heart rate is elevated (Provide documentation) Yes No
5. Select one of the following:
 - Member is 6 months through 17 years of age and \geq 40 kg
 Request is for tablet formulation Yes No
 Requested dose does not exceed 15 mg/day Yes No
Note the following QL per strength: 5 mg, 7.5 mg, tablet – max 2 tablets/day
 - Member is 12 through 17 years of age and \geq 40 kg
 Request is for solution formulation Yes No
 Member is unable to swallow tablet formulation (Provide documentation) Yes No
 Requested dose does not exceed 15 mL/day Yes No
Note only approvable for a member who cannot swallow tablets (must submit chart documentation)
 - Member is 6 months through 11 years of age and \geq 40 kg
 Requested dose does not exceed 15 mL/day Yes No
 - Member is 1 through 17 years of age and $<$ 40 kg
 Requested dose does not exceed 0.3 mg/kg/dose twice daily, max of 15 mL (15 mg)/day
 Yes No Weight: _____
 - Member is 6 months through $<$ 1 year of age and $<$ 40 kg
 Requested dose does not exceed 0.2 mg/kg/dose twice daily
 Yes No Weight: _____

PA Requirements for Entresto (sacubitril-valsartan) sprinkle

1. One of the following:
 - Member is less than 12 years of age and/or < 50 kg Weight: _____
 - Member is 12 years of age or older, ≥ 50 kg, and cannot swallow tablet formulation
2. Prescriber attests to the following:
 - Member is/will NOT be using concomitant angiotensin converting enzyme (ACE) inhibitor or angiotensin II receptor blocker (ARB) therapy

PA Requirements for Verquvo (vericiguat):

1. Member is 18 years of age or older Yes No
2. Diagnosis of chronic, symptomatic heart failure (Provide documentation) Yes No
3. Left ventricular ejection fraction is less than or equal to 45% (Provide documentation) Yes No
4. Select one of the following:
 - Member has been hospitalized for heart failure in the past 180 days (Provide documentation)
 - Member has received IV diuretics in the past 90 days (Provide documentation)
5. For those of childbearing potential, documentation of a negative pregnancy test obtained within the past 60 days is attached Yes No
6. Requested dose exceeds 10 mg/day Yes No

Note the following QL per strength: 2.5 mg, 5 mg, 10 mg tablet – max 1 tablet/day

CONFIDENTIAL INFORMATION

This facsimile transmission (and attachments) may contain protected health information from the Indiana Health Coverage Programs (IHCP), which is intended only for the use of the individual or entity named in this transmission sheet. Any unintended recipient is hereby notified that the information is privileged and confidential, and any use, disclosure, or reproduction of this information is prohibited.